# REFERENCE DOCUMENTS

# TABLE OF CONTENTS

INTRODUCTION TO THE PROTOCOLS	3
POLST REGISTRY INFORMATION	4
GLOSSARY OF TERMS AND ABBREVIATIONS	5
GLASGOW COMA SCORE	10
IMPORTANT PHONE NUMBERS	11
SCOPE OF PRACTICE	12
PREGNANCY/LACTATION CATEGORIES	15

#### INTRODUCTION TO THE PROTOCOLS

The following protocols are intended to give guidance to the Emergency Medical Responders (EMRs), Emergency Medical Technicians (EMTs), Advanced Emergency Medical Technicians (AEMTs), EMT Intermediates (EMT-I), Paramedics (EMT-P) & Registered Nurses (RNs) working under the auspices of Dufur Ambulance, Mid-Columbia Fire & Rescue, Wamic Rural Fire Protection District, Sherman County Ambulance, Southern Wasco County Ambulance and Wasco County Search and Rescue. They are not intended to eliminate or discourage consultation with Medical Control, nor to give authority for patient care outside of the State of Oregon Emergency Medical Service Provider scope of practice. Each EMS provider is expected to know their legal and personal limits. The RN designation in the protocols indicates the minimum level of care that RNs working in EMS can perform, however those with additional training may function to the level of their training as licensed with the State of Oregon EMS and Trauma Systems.

These protocols are also not intended, nor can they be expected, to cover every conceivable patient condition or situation that the EMS provider may encounter. Individual judgment must be used and if there is a question, the base Physician should be contacted before questionable treatment is instituted.

While the protocols are separated into EMR, EMT, AEMT, EMT-I, RN and EMT-P levels of care, all EMS providers should follow the guidelines for basic care before proceeding onto a higher level of care.

If treatment is given (or withheld) not in accordance with these written guidelines, the exceptions shall be documented on the prehospital care report.

All patient care and prehospital care reports are subject to review by the Supervising Physician and others as may be designated by the Supervising Physician. This review process is not intended to be punitive, but to ensure continuing high-quality patient care.

As Supervising Physician, I approve these protocols, and authorize the EMS providers affiliated with the above listed agencies to operate under them.

Any off duty EMT is authorized to function in all the areas listed above as long as they remain within their scope of practice and follow the appropriate treatment protocol.

Ein M. Buth	01/16/2022
Erin Burnham, MD Supervising Physician	Date
As EMS Provider, I have read and understood these protocols as a provider for the following	these protocols and will operate within the scope of agency:
Agency	
EMS Provider	Date

#### POLST REGISTRY INFORMATION

**NOTE:** If POLST form not available on scene, you may be able to access information on POLST from POLST FORM REGISTRY at OHSU with the following phone number:

#### 1-888-476-5787

#### When you call please have:

- Registry ID # (when available)
- Correct spelling on patient's first and last names
- Patient age and/or date of birth
- Gender of patient
- Home address of patient
- Name of care facility for patient (if applicable)
- City, zip code or county of residence
- Last 4 of patient social security number

#### **BE SURE TO DOCUMENT ON PCF:**

- Orders relayed for sections A & B
- Date form signed
- Registry ID #
- Health care signers name (if relayed)

## GLOSSARY OF TERMS AND ABBREVIATIONS

1°	Primary, first degree
2°	Secondary, second degree
3°	Teriary, third degree
<	Less than;
>	Greater than
=	equals
ABC	Airway, breathing and circulation
Abd.	Abdomen
a/c	antecubital
ACLS	Advanced Cardiac Life Support
ADD	Attention Deficit Disorder
AED	Automatic external defibrillator
AEMT	Advanced Emergency Medical Technician
AIDS	Acquired immune deficiency syndrome
Admin.	Administer(ed)
A fib	Atrial fibrillation
Alcohol	Alcohol
ALS	Advanced Life Support
AMI	Acute Myocardial Infarction
amp	Ampule
Amp.	Amputation
amt.	Amount
ant	Anterior
APAP	Acetaminophen (Tylenol)
APE	Acute pulmonary edema
ASA	Aspirin
ASAP	As soon as possible
ATAB	Area Trauma Advisory Board
ATF	Arrived To Find
AVPU	Alert, verbal, painful, unresponsive
BGL	Blood glucose level
Bilat, B.	Bilateral
BLS	Basic Life Support
B/P	Blood pressure
bpm	beats per minute
BSS	Balanced salt solution such as normosol, normal saline, etc.
C-1	Code 1
C-3	Code 3
C-0	Code 5

CA	Cancer
CABG	Coronary artery bypass graft ("cabbage")
CAD	Coronary Artery Disease
CAO	Conscious, Alert, Oriented
CBG	Capillary Blood Glucose
CC	Chief Complaint
CHF	Congestive heart failure
CO <sub>2</sub>	Carbon Dioxide
c/o	Complains of
COPD	Chronic obstructive pulmonary disease or emphysema
CPR	Cardio-Pulmonary resuscitation
CSF	Cerebral spinal fluid
CVA	Cerebrovascular accident
CX	chest
СРАР	Continuous Positive Air Pressure
DCAP-BTLS	
DCAP-DILS	Deformities & Discolorations, Crepitus & Contusions, Abrasion & Avulsion, Penetration and Punctures, Burns, Tenderness,
	Lacerations, Swelling & Symmetry
D/C	Discontinue
Dig.	Digitalis
Disloc.	Dislocated
D5W	Dextrose 5% in water
dl	Deciliter (1/10 of a liter: 100ml)
DM	Diabetes Mellitus
DNR	Do not resuscitate
DT's	Delirium tremens
Dx	Diagnosis
ECG	Electrocardiogram
ED	Emergency Department
EKG	Electrocardiogram
EMS	Emergency medical services
EMT	Emergency medical technician
EMT-I	Emergency medical technician - Intermediate
EMT-P	Emergency medical technician - Paramedic
Epi.	Epinephrine
ET	Endotracheal
ETCO <sub>2</sub>	End tidal carbon dioxide detector
Exam	Examination
F	Female

F°	Fahrenheit					
Fx	fracture					
GCS	Glasgow Coma Score					
g, gm	gram					
GI	gastrointestinal					
gr	grain					
gtt	drops					
H/A	headache					
HCTZ	hydrochlorothiazide					
HIV	Human immunodeficiency virus					
HRFD	Hood River Fire Department					
HTN	Hypertension					
Hx	History					
ICP	Intracranial pressure					
ICS	Incident command system					
IM	Intra-muscular					
IN	Inranasal					
Ю	Intraosseous					
IV	Intra-venous					
IVP	IV push					
KCL	Potassium chloride					
kg	kilogram					
L	liter					
LBB	Long back board					
LUQ	Left upper quadrant					
LLQ	Left lower quadrant					
LMC	Last Menstrual Cycle					
LOC	Level of consciousness					
L/S	Lung sounds					
LVAD	Left ventricular assist device					
M	male					
MAE	Moves all extremities					
MAS	Movement and sensation					
MCFR	Mid-Columbia Fire & Rescue					
mcg	microgram					
mEq	milliequivalent					
mg	milligram (1/1,000 of 1 gram)					
MCI	Multi-casualty incident					
ME	Medical examiner					

MI My	ocardial Infarction						
min Mir							
	liliter – (1/1,000 of 1 liter)						
	Millimeters of mercury						
	Mental status						
141504	Morphine Sulfate						
MSDS Man	terial safety data sheets						
N&V Nau	usea and vomiting						
NAD No	acute distress, no apparent distress						
NC Nas	sal canula						
NG nase	ogastric						
NKMA No	known medical allergies						
NMT Not	More Than. Indicates maximum total dosage.						
NPA Nas	sopharyngeal airway						
NPO Not	hing by mouth (per os)						
NR Nor	mosol-R						
NS Nor	mal saline						
NSAIDS Not	Non-steroidal anti-inflammatory medications						
NTG nitr	oglycerin						
N&V, N/V nau	sea and vomiting						
O2 Oxy	ygen						
OD Ove	erdose						
OLMC On-	line medical control						
<b>OPA</b> Oro	pharyngeal airway						
PASG Pne	rumatic anti-shock trousers						
PEAD Pha	ryngeal esophageal airway device						
PEARL Pup	oils equal and reactive to light						
	-hospital Care Report						
	k, Warm, Dry						
	ht upper quadrant						
	ht lower quadrant						
	t medical history						
Pn. Pair							
	er Os" = By mouth, orally						
	sician Orders for Life-Sustaining Treatment						
1	needed						
PR per	rectum; rectally						
ROSC	urn Of Spontaneous Circulation						
	<u> </u>						

PAPR	Powered Air-Purifying Respirator
PPV	Positive Pressure Ventilation
PSVT	Paroxysmal supraventricular tachycardia
Pt.	patient
RL	Ringers Lactate
Rx	prescribed for, used for
SAO2	Oxygen saturation
SL	sublingual
SOB	Shortness of breath
SQ	subcutaneous
s/s	Signs & Symptoms
SW	Sterile water
SX	surgery
Sz	seizure
ТВ	tuberculosis
TCA	Tricyclic antidepressant
TIA	Transient ischemic attack
Torr	Millimeters mercury (mm/Hg)
TKO	To keep open IV fluid infusion
U	unit
UKA	Unknown allergies
URI	upper respiratory infection
UTI	urinary tract infection
VF	Ventricular Fibrillation
VT	Ventricular Tachycardia
w/	with
w/o	without
y/o	years old

### GLASGOW COMA SCORE

Eye Opening		Best Verbal Resp	onse	Best Motor Response		
Spontaneously	4	Oriented	5	Obeys Commands	6	
To Commands	o Commands 3 Con		4	Localizes Pain	5	
To Pain 2		Inappropriate 3		Withdraws from Pain		
No Response 1		Incomprehensible	2	Flexion (decorticate)	3	
		No Response	1	Extension (decereb)	2	
				No Response	1	

GCS < 8	Intubate	<b>Totals</b>
---------	----------	---------------

#### **IMPORTANT PHONE NUMBERS**

Poison Control at OHSU: 1-800-222-1222

Oregon POLST Registry Hotline: 1-888-476-5787

Oregon LVAD Program Coordinator - St. Vincent's: 1-971-678-4042

Oregon LVAD Program Coordinator - OHSU: 1-503-494-900

## SCOPE OF PRACTICE

	SCOPE OF PRACTICE								
Page	Medication	Pregnancy/ Lactation	EMR	EMT	AEMT	EMT-I	ЕМТ-Р	NOTES	
8	Activated Charcoal Call Drug	NA/s		X	×	×	×		
9	Adenosine	C/?					X		
10	Albuterol	C/c		X	X	X	X		
11	Amiodarone	D/X				X	X		
12	Amyl Nitrite	C/?					Х		
13	Aspirin	D/X	X	X	×	X	×	C in pregnancy if not near term or short term use	
14	Ativan	D/X					X		
15	Atropine Sulfate	C/s		X	×	×	×	EMT & AEMT: SLUDGE Only	
16	Atrovent	B/c		X	X	X	X		
17	Calcium Gluconate	C/s					X		
18	Captopril	D/s					X		
19	Dexamethasone	C/c					X		
20	Dextrose (IV)	NA/c			X	X	X		
20	Dextrose (Oral)	NA/c	X	X	X	X	X		
21	Diphenhydramine	B/c				X	X		
22	Dopamine	C/?					X		
23	Droperidol	C/×					X		
24	Duoneb	C/c		Х	X	X	X		
25	Ecallantide	C/c					X		
26	Epinephrine 1:1,000	C/?	×	×	X	X	X	EMR:EpiPen Only EMT: + IM for Anaphylaxis AEMT: + Nebulized for Respiratory Distress; +IV/IO/ET for ACLS	
27	Epinephrine 1:10,000	C/?				X	X		

	SCOPE OF PRACTICE									
Page	Page Medication Pregnancy/ Lactation EMR EMT AEMT EMT-I EMT-P NOTES									
28	Etomidate	C/?					X			
29	Fentanyl	B/x				X	X			
30	Furosemide	C/×				Х	X			
31	Glucagon	B/?			X	Х	X			
32	Haloperidol	C/×					X			
33	Hydrocobalamin	C/s					X			
34	IV Solutions (BSS)	A/s			X	X	X			
35	Ketamine	C/?					X			
37	Ketorolac	C/?				X	X			
37	Lidocaine	B/c			×	×	×	AEMT - anesthetic for IO only		
39	Lidocaine Pre-Mix	B/c				Х	X			
40	Magnesium Sulfate	D/s					×	(Despite being drug of choice for Eclampsia)		
41	Midazolam	D/c					X			
42	Morphine Sulfate	C/s				Х	X			
43	Naloxone	C/?	x	X	×	×	×	EMR - MAD and Auto injector only		
44	Nitroglycerine	C/?		X	×	×	×	EMT-Assist w/ Pt NTG only		
45	Norepinphrine	C/?					×			
46	Olanzapine	C/c					×			
48	Oxygen	A/s	X	Х	X	Х	X			
49	Oxymetazoline	C/?					X			
50	Oxytocin CALL DRUG	X/x					×	If given, delay breastfeeding 24H		
52	Rocuronium	B/?					×			
53	Sodium Bicarbonate	C/?					X			
54	Succinylcholine	C/?					X			

	SCOPE OF PRACTICE								
Page	Medication	Pregnancy/ Lactation	EMR	EMT	AEMT	EMT-I	ЕМТ-Р	NOTES	
55	Thiamine	A/s					X		
56	Tranexamic Acid	X/x					X		
57	Vecuronium	C/?					X		
58	Zofran	B/c				×	X		

## PREGNANCY/LACTATION CATEGORIES

Pregnancy Category	Interpretation
A	Generally Acceptable. Controlled studies in pregnant women show no evidence of fetal risk
В	May be acceptable. Either animal studies show no risk but human studies not available or animal studies showed minor risks and human studies done and showed no risk.
С	Use with caution if benefits outweigh risks. Animal studies show risk and human studies not available or neither animal nor human studies done.
D	Use in LIFE-THREATENING Emergencies when no safer drug available. Positive evidence of human fetal risk.
X	Do not use in pregnancy. Risk involved outweigh potential benefits.
NA	Information not available.

Lactation Category	Interpretation
s	Safe. Compatible with nursing
С	Use with caution
?	No studies found or not known if crosses into breast milk.
x	Do not use during lactation. Advise mother to Pump & Dump if given